


Single Tank (MR) Models

WATER SOFTENER DIMENSIONS

Model Series Number	(A) Resin Tank Diameter (+/-0.5 in)	(B) Resin Tank Height (+/-1 in)	(C) Inlet/Outlet Height (in)	(D) Overall Height (in)	(E) Brine Tank Diameter (in)	(F) Overall Length (in)
EF-30-MR	10.0	44.6	46.0	53.0	18.0	32.0
EF-48-MR	10.0	47.7	54.0	56.0	18.0	32.0
EF-60-MR	12.0	53.4	55.0	61.0	18.0	34.0
EF-90-MR	14.0	66.1	68.0	74.0	24.0	42.0
EF-120-MR	16.0	66.2	68.0	74.0	24.0	44.0
EF-150-MR	16.0	66.2	68.0	74.0	24.0	44.0
EF-150X-MR	18.0	67.0	69.0	75.0	24.0	46.0
EF-180-MR	21.0	67.0	69.0	75.0	24.0	49.0
XF-30-MR	10.0	44.6	46.0	53.0	18.0	32.0
XF-48-MR	10.0	47.7	54.0	56.0	18.0	32.0
XF-60-MR	12.0	53.4	55.0	61.0	18.0	34.0
XF-90-MR	14.0	66.1	68.0	74.0	24.0	44.0
XF-120-MR	16.0	66.2	68.0	74.0	24.0	44.0
XF-150-MR	16.0	66.2	68.0	74.0	24.0	44.0
XF-150X-MR	18.0	67.0	69.0	75.0	24.0	46.0
XF-180-MR	21.0	67.0	69.0	75.0	24.0	49.0
SF-30-MR	10.0	47.7	50.0	54.0	18.0	32.0
SF-48-MR	12.0	53.4	55.0	60.0	18.0	34.0
SF-60-MR	12.0	53.4	55.0	60.0	18.0	34.0
SF-90-MR	14.0	66.1	68.0	73.0	24.0	42.0
SF-120-MR	16.0	66.2	68.0	73.0	24.0	44.0
SF-150-MR	16.0	66.2	68.0	73.0	24.0	44.0
MF-48-MR	12.0	53.4	55.0	60.0	18.0	34.0
MF-60-MR	12.0	53.4	55.0	60.0	18.0	34.0
MF-90-MR	14.0	66.1	68.0	73.0	24.0	44.0
MF-120-MR	16.0	66.2	68.0	73.0	24.0	44.0
MF-150-MR	16.0	66.2	68.0	73.0	24.0	44.0
MF-180-MR	21.0	67.0	69.0	74.0	24.0	49.0
MF-210-MR	21.0	67.0	69.0	74.0	24.0	49.0
MF-240-MR	24.0	74.2	76.0	81.0	24.0	52.0
MF-300-MR	24.0	74.2	76.0	81.0	24.0	52.0



Model Series Number (con't)	(A) Resin Tank Diameter (+/-0.5 in)	(B) Resin Tank Height (+/-1 in)	(C) Inlet/Outlet Height (in)	(D) Overall Height (in)	(E) Brine Tank Diameter (in)	(F) Overall Length (in)
LF-90-MR	14.0	66.1	68.0	78.0	24.0	42.0
LF-120-MR	16.0	66.2	68.0	78.0	24.0	44.0
LF-150-MR	16.0	66.2	68.0	78.0	24.0	44.0
LF-150X-MR	18.0	67.0	69.0	79.0	24.0	46.0
LF-180-MR	21.0	67.0	69.0	79.0	24.0	49.0
LF-210-MR	21.0	67.0	69.0	79.0	24.0	49.0
LF-240-MR	24.0	74.2	76.0	86.0	24.0	52.0
LF-300-MR	24.0	74.2	76.0	86.0	24.0	52.0
LF-360-MR	30.0	78.9	81.0	91.0	30.0	64.0
LF-450-MR	30.0	78.9	81.0	91.0	30.0	64.0
LF-600-MR	36.0	80.4	83.0	92.0	39.0	79.0
HF-300-MR	24.0	77.0	82.0	92.0	24.0	52.0
HF-450-MR	30.0	79.7	85.0	95.0	30.0	64.0
HF-480-MR	30.0	79.7	85.0	95.0	30.0	64.0
HF-600-MR	36.0	82.3	87.0	97.0	39.0	79.0
HF-810-MR	42.0	72.5	78.0	88.0	39.0	85.0
HF-900-MR	42.0	72.5	78.0	88.0	50.0	96.0
HF-990-MR	48.0	72.5	87.0	97.0	50.0	102.0
HF-1200-MR	48.0	72.5	87.0	97.0	50.0	102.0
HF-1800-MR	63.0	86.0	104.0	114.0	50.0	117.0

All dimensions are approximate and subject to change without notice. Please consult our technical department for additional system information.



CONTACT YOUR LOCAL
SALES REPRESENTATIVE

To find your authorized WCC representative,
please visit: [www.watercontrolinc.com/
representative-locator/](http://www.watercontrolinc.com/representative-locator/).



VISIT US ONLINE

Go to www.watercontrolinc.com, where
you'll find detailed product specification
info and application design questionnaires.




SPEAK DIRECTLY WITH ONE OF
WCC'S DESIGN ENGINEERS

Call 1-866-405-1268 or email
techsupport@watercontrolinc.com.

We look forward to working with you!

Two Tank (TWIN) Models

WATER SOFTENER DIMENSIONS



Model Series Number	(A)	(B)	(C)	(D)	(E)	(F)
	Resin Tank Diameter (+/-0.5 in)	Resin Tank Height (+/-1 in)	Inlet/ Outlet Height (in)	Overall Height (in)	Brine Tank Diameter (in)	Overall Length (in)
LF-90-TWIN	14.0	66.1	68.0	78.0	24.0	64.0
LF-120-TWIN	16.0	66.2	68.0	78.0	24.0	68.0
LF-150-TWIN	16.0	66.2	68.0	78.0	24.0	68.0
LF-150X-TWIN	18.0	67.0	69.0	79.0	24.0	72.0
LF-180-TWIN	21.0	67.0	69.0	79.0	24.0	78.0
LF-210-TWIN	21.0	67.0	69.0	79.0	24.0	78.0
LF-240-TWIN	24.0	74.2	76.0	86.0	30.0	90.0
LF-300-TWIN	24.0	74.2	76.0	86.0	30.0	90.0
LF-360-TWIN	30.0	78.9	81.0	91.0	39.0	111.0
LF-450-TWIN	30.0	78.9	81.0	91.0	39.0	111.0
LF-600-TWIN	36.0	80.4	83.0	92.0	50.0	134.0
HF-300-TWIN	24.0	77.0	82.0	92.0	30.0	90.0
HF-450-TWIN	30.0	79.7	85.0	95.0	39.0	111.0
HF-480-TWIN	30.0	79.7	85.0	95.0	39.0	111.0
HF-600-TWIN	36.0	82.3	87.0	97.0	50.0	134.0
HF-810-TWIN	42.0	72.5	78.0	88.0	50.0	146.0
HF-900-TWIN	42.0	72.5	78.0	88.0	50.0	146.0
HF-990-TWIN	48.0	81.5	87.0	97.0	50.0	158.0
HF-1200-TWIN	48.0	81.5	87.0	97.0	50.0	158.0
HF-1800-TWIN	63.0	96.0	101.0	111.0	50.0	188.0

All dimensions are approximate and subject to change without notice. Please consult our technical department for additional system information.



CONTACT YOUR LOCAL
SALES REPRESENTATIVE

To find your authorized WCC representative,
please visit: [www.watercontrolinc.com/
representative-locator/](http://www.watercontrolinc.com/representative-locator/).



VISIT US ONLINE

Go to www.watercontrolinc.com, where
you'll find detailed product specification
info and application design questionnaires.




SPEAK DIRECTLY WITH ONE OF
WCC'S DESIGN ENGINEERS

Call 1-866-405-1268 or email
techsupport@watercontrolinc.com.

We look forward to working with you!

Two Tank (TWIN ALTERNATING) Models

WATER SOFTENER DIMENSIONS



Model Series Number	(A)	(B)	(C)	(D)	(E)	(F)
	Resin Tank Diameter (+/-0.5 in)	Resin Tank Height (+/-1 in)	Inlet/ Outlet Height (in)	Overall Height (in)	Brine Tank Diameter (in)	Overall Length (in)
EFT-60-MR	12.0	53.4	55.7	60.7	18.0	49.0
EFT-90-MR	14.0	66.1	68.4	73.4	24.0	57.0
EFT-120-MR	16.0	66.2	68.5	73.5	24.0	59.0
EFT-150-MR	16.0	66.2	68.5	73.5	24.0	59.0
MFT-60-MR	12.0	53.4	56.0	61.2	18.0	55.0
MFT-90-MR	14.0	66.1	68.7	73.9	24.0	57.0
MFT-120-MR	16.0	66.2	68.8	74.0	24.0	59.0
MFT-150-MR	16.0	66.2	68.8	74.0	24.0	59.0
MFT-150X-MR	18.0	67.0	69.6	74.8	24.0	73.0
MFT-180-MR	21.0	67.0	69.6	74.8	24.0	79.0
MFT-210-MR	21.0	67.0	69.6	74.8	24.0	79.0
MFT-240-MR	24.0	74.2	76.8	82.0	30.0	81.0
MFT-300-MR	24.0	74.2	76.8	82.0	30.0	81.0

All dimensions are approximate and subject to change without notice. Please consult our technical department for additional system information.



CONTACT YOUR LOCAL
SALES REPRESENTATIVE

To find your authorized WCC representative,
please visit: [www.watercontrolinc.com/
representative-locator/](http://www.watercontrolinc.com/representative-locator/).



VISIT US ONLINE

Go to www.watercontrolinc.com, where
you'll find detailed product specification
info and application design questionnaires.




SPEAK DIRECTLY WITH ONE OF
WCC'S DESIGN ENGINEERS

Call 1-866-405-1268 or email
techsupport@watercontrolinc.com.

We look forward to working with you!

Three Tank (TRIPLEX) Models

WATER SOFTENER DIMENSIONS



Model Series Number	(A)	(B)	(C)	(D)	(E)	(F)
	Resin Tank Diameter (+/-0.5 in)	Resin Tank Height (+/-1 in)	Inlet/ Outlet Height (in)	Overall Height (in)	Brine Tank Diameter (in)	Overall Length (in)
LF-90-TRIPLEX	14.0	66.1	68.0	78.0	24.0	86.0
LF-120-TRIPLEX	16.0	66.2	68.0	78.0	24.0	92.0
LF-150-TRIPLEX	16.0	66.2	68.0	78.0	24.0	92.0
LF-150X-TRIPLEX	18.0	67.0	69.0	79.0	24.0	98.0
LF-180-TRIPLEX	21.0	67.0	69.0	79.0	30.0	113.0
LF-210-TRIPLEX	21.0	67.0	69.0	79.0	30.0	113.0
LF-240-TRIPLEX	24.0	74.2	76.0	86.0	39.0	131.0
LF-300-TRIPLEX	24.0	74.2	76.0	86.0	39.0	131.0
LF-360-TRIPLEX	30.0	78.9	81.0	91.0	39.0	149.0
LF-450-TRIPLEX	30.0	78.9	81.0	91.0	50.0	160.0
LF-600-TRIPLEX	36.0	80.4	83.0	92.0	50.0	178.0
HF-300-TRIPLEX	24.0	77.0	82.0	92.0	39.0	131.0
HF-450-TRIPLEX	30.0	79.7	85.0	95.0	50.0	160.0
HF-480-TRIPLEX	30.0	79.7	85.0	95.0	50.0	160.0
HF-600-TRIPLEX	36.0	82.3	87.0	97.0	50.0	178.0
HF-810-TRIPLEX	42.0	72.5	78.0	88.0	50.0	196.0
HF-900-TRIPLEX	42.0	72.5	78.0	88.0	50.0	196.0
HF-990-TRIPLEX	48.0	81.5	87.0	97.0	50.0	214.0
HF-1200-TRIPLEX	48.0	81.5	87.0	97.0	50.0	214.0
HF-1800-TRIPLEX	63.0	96.0	101.0	111.0	50.0	259.0

All dimensions are approximate and subject to change without notice. Please consult our technical department for additional system information.



CONTACT YOUR LOCAL
SALES REPRESENTATIVE

To find your authorized WCC representative,
please visit: [www.watercontrolinc.com/
representative-locator/](http://www.watercontrolinc.com/representative-locator/).



VISIT US ONLINE

Go to www.watercontrolinc.com, where
you'll find detailed product specification
info and application design questionnaires.




SPEAK DIRECTLY WITH ONE OF
WCC'S DESIGN ENGINEERS

Call 1-866-405-1268 or email
techsupport@watercontrolinc.com.

We look forward to working with you!

Four Tank (QUAD) Models

WATER SOFTENER DIMENSIONS



Model Series Number	(A)	(B)	(C)	(D)	(E)	(F)
	Resin Tank Diameter (+/-0.5 in)	Resin Tank Height (+/-1 in)	Inlet/ Outlet Height (in)	Overall Height (in)	Brine Tank Diameter (in)	Overall Length (in)
LF-90-QUAD	14.0	66.1	68.0	78.0	24.0	108.0
LF-120-QUAD	16.0	66.2	68.0	78.0	24.0	116.0
LF-150-QUAD	16.0	66.2	68.0	78.0	30.0	122.0
LF-150X-QUAD	18.0	67.0	69.0	79.0	30.0	130.0
LF-180-QUAD	21.0	67.0	69.0	79.0	39.0	151.0
LF-210-QUAD	21.0	67.0	69.0	79.0	39.0	151.0
LF-240-QUAD	24.0	74.2	76.0	86.0	39.0	163.0
LF-300-QUAD	24.0	74.2	76.0	86.0	39.0	163.0
LF-360-QUAD	30.0	78.9	81.0	91.0	50.0	198.0
LF-450-QUAD	30.0	78.9	81.0	91.0	50.0	198.0
LF-600-QUAD	36.0	80.4	83.0	92.0	50.0	222.0
HF-300-QUAD	24.0	77.0	82.0	92.0	39.0	163.0
HF-450-QUAD	30.0	79.7	85.0	95.0	50.0	198.0
HF-480-QUAD	30.0	79.7	85.0	95.0	50.0	198.0
HF-600-QUAD	36.0	82.3	87.0	97.0	50.0	222.0
HF-810-QUAD	42.0	72.5	78.0	88.0	50.0	246.0
HF-900-QUAD	42.0	72.5	78.0	88.0	50.0	246.0
HF-990-QUAD	48.0	81.5	87.0	97.0	50.0	270.0
HF-1200-QUAD	48.0	81.5	87.0	97.0	50.0	270.0
HF-1800-QUAD	63.0	96.0	101.0	111.0	50.0	330.0

All dimensions are approximate and subject to change without notice. Please consult our technical department for additional system information.



CONTACT YOUR LOCAL
SALES REPRESENTATIVE

To find your authorized WCC representative,
please visit: [www.watercontrolinc.com/
representative-locator/](http://www.watercontrolinc.com/representative-locator/).



VISIT US ONLINE

Go to www.watercontrolinc.com, where
you'll find detailed product specification
info and application design questionnaires.



SPEAK DIRECTLY WITH ONE OF
WCC'S DESIGN ENGINEERS

Call 1-866-405-1268 or email
techsupport@watercontrolinc.com.

We look forward to working with you!