

IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761-2816 • (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued to:

WATER CONTROL CORPORATION

7150 - 143RD AVENUE N.W.
RAMSEY, MN 55303

Product:

Point of Entry Regenerable Well Water Filtration Systems

Products are certified to the following standard(s):

ASSE/IAPMO IGC 370-2021a

File Number: W-13644

Effective Date: June 2027

Void After Date: June 2028*


Chairman, Product Certification Committee




Chief Technical Service Officer

* This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: WATER CONTROL CORPORATION

Effective Date: June 2027

File Number: W-13644

Void After: June 2028

Product: Point of Entry Regenerable Well Water Filtration Systems

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification:

Product shall bear: The certified company name. The model number or trade designation. The appropriate certification mark. Product markings may be permanently fixed on the system or may be included as part of product literature or packaging.


Characteristics:

This standard covers point of entry regenerable (using dissolved oxygen) well water filtration systems intended for residential and commercial applications and specifies requirements for materials, physical characteristics, performance testing, and markings. Point of Entry (POE) water treatment products covered in this Standard are intended to reduce Arsenic, Iron, Manganese, and Hydrogen Sulfide from drinking water.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: WATER CONTROL CORPORATION

File Number: W-13644

Product: Point of Entry Regenerable Well Water Filtration Systems

Effective Date: June 2027

Void After Date: June 2028

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Product Type	POE Systems			
Brand Name	Model Number	Flow Rate (GPM)	Capacity (Gallons)	Reduction Claims
BrassMaster	EL33-150 ¹	6.0	1,500	Arsenic, Iron, Manganese, Hydrogen Sulfide
BrassMaster	EL33-250 ¹	10.0	2,000	Arsenic, Iron, Manganese, Hydrogen Sulfide

¹System should only be used with non-chlorinated water.